

[View Product Online](#)

**CHICAGO PNEUMATIC INDUSTRIAL AIR HYDRAULIC RIVETER 7.8MM STEEL & STAINLESS
CAPACITY, 21KN, RIVETER, UP TO 6.4MM STEEL BLIND RIVETS & UP TO 7.8MM BULB RIVETS
CP9887**

SKU: CP9887



[View Product Online](#)

\$2,087.80 inc. GST

Benefits

- Powerful with high setting forces
- Comfortable and safe with low vibration and kickback
 - Cold insulating composite handle higher comfort
 - Flexible air connection with 360° rotation option
- Robust with an industrial-grade aluminum alloy cylinder material

Categories: [Air Rivet Guns](#), [Chicago Pneumatic](#)

AIR TOOLS WA

Perth's Largest Range of Air Compressors and Air Tools.
Industrial Air Compressors, Parts and Service.

Call [1300 062 377](tel:1300062377) or email sales@airtoolswa.com.au



Benefits

- Powerful with high setting forces
- Comfortable and safe with low vibration and kickback
- Cold insulating composite handle higher comfort
- Flexible air connection with 360° rotation option
- Robust with an industrial-grade aluminum alloy cylinder material

PRODUCT DESCRIPTION

The CP988 series offers a complete range of professional pneumatic blind riveters and a pneumatic blind nut riveter. The coverage of this new range is wide and can process blind rivets from 3.0 up to 7.8mm in steel and stainless steel or blind nut rivets in all material from M3 to M12 (depending on model).

Country of origin is CN.
Customs tariff is 84671900

Design & Functions

1. Rivet type: Blind

AIR TOOLS WA

Perth's Largest Range of Air Compressors and Air Tools.
Industrial Air Compressors, Parts and Service.

Call [1300 062 377](tel:1300062377) or email sales@airtoolswa.com.au

2. Vibration: 2.5 m/s²
3. Weight: 2.5 kg
4. Height (H): 130 mm
5. Max rivet size (mm): 7.8
6. Mouthpiece delivered: 10
7. Length (L): 325 mm
8. Air consumption at load: 4.1 l/s
9. Sound Pressure: 77.8 d: B(A)
10. Main Material type: Aluminium, Composite over-sleeve
11. Width (W): 350 mm
12. Uncertainty vibration-K:0.6 m/s²
13. Max dynamic air working pressure: 6.3 bar
14. Starting system: Trigger
15. Min rivet size (mm): 4.8
16. Air inlet thread type: NPT
17. Min hose diam (5 m hose length): 10 mm
18. Sound Power: 88.8 d: B(A)
19. Air inlet thread size (in): 1/4
20. General Rivet type: Blind
21. Width (W): 350 mm
22. Uncertainty vibration-K:0.6 m/s²
23. Air inlet thread size (in): 1/4
24. Max rivet size (mm): 7.8
25. Height (H): 130 mm
26. Vibration: 2.5 m/s²
27. Min rivet size (mm): 4.8
28. Mouthpiece delivered: 10
29. Sound Pressure: 77.8 d: B(A)
30. Air inlet thread type: NPT
31. Air consumption at load: 4.1 l/s
32. Length (L): 325 mm
33. Max dynamic air working pressure: 6.3 bar
34. Min hose diam (5 m hose length): 10 mm
35. Sound Power: 88.8 d: B(A)
36. Main Material type: Aluminium, Composite over-sleeve
37. Weight: 2.5 kg
38. Starting system: Trigger

AIR TOOLS WA

Perth's Largest Range of Air Compressors and Air Tools.
Industrial Air Compressors, Parts and Service.

Call **1300 062 377** or email sales@airtoolswa.com.au