

[View Product Online](#)

**CHICAGO PNEUMATIC SCREW DRIVER, PISTOL GRIP, HIGH SPEED DIRECT DRIVE, 2200RPM,
7.3NM, 1/4" HEX DIRECT DRIVE PNEUMATIC SCREWDRIVER CP2755**

SKU: CP2755



[View Product Online](#)

\$649.00 inc. GST

Benefits

- Fast screw rundown in direct drive for better productivity
 - Reverse control at the trigger for better comfort
 - Rubber grip for better handling
- Progressive trigger for better ergonomics

Categories: [Screw Drivers](#), [Chicago Pneumatic](#)



AIR TOOLS WA

Perth's Largest Range of Air Compressors and Air Tools.
Industrial Air Compressors, Parts and Service.

Call [1300 062 377](tel:1300062377) or email sales@airtoolswa.com.au



Benefits

- Fast screw rundown in direct drive for better productivity
- Reverse control at the trigger for better comfort
- Rubber grip for better handling
- Progressive trigger for better ergonomics

PRODUCT DESCRIPTION

The CP2755/CP2765 Series are 1/4" hex quick change pistol direct drive screwdrivers designed for fastening operations. Progressive trigger and reverse control at the trigger ensure high level of operator control. Ideal for soft-pull applications in wood and other soft materials. Available in 2 torque level models.

Country of origin is TW.

Customs tariff is 84671190

Design & Functions

1. Air inlet thread type: NPT
2. Sound Power: 101 d: B(A)
3. Output drive size (in): 1/4
4. Handle type: Pistol
5. Max torque in forward: 7.3 Nm
6. Output retainer type: Quick change
7. Max dynamic air working pressure: 63 bar
8. Torque Control System: Non shut-off-stall
9. Weight: 1.03 kg
10. Clutch Type: Direct drive
11. Reversible: Yes

AIR TOOLS WA

Perth's Largest Range of Air Compressors and Air Tools.
Industrial Air Compressors, Parts and Service.

Call [1300 062 377](tel:1300062377) or email sales@airtoolswa.com.au

- 12. Body: Aluminum
- 13. Length (L): 160 mm
- 14. Air inlet thread size (in): 1/4
- 15. Height (H): 149 mm
- 16. Sound Pressure: 90 d: B(A)
- 17. Output drive type: Hex
- 18. Clutch housing: Steel
- 19. Min hose diam (16 ft hose length): 0.38 in
- 20. Air consumption at free speed: 14 l/s
- 21. Starting system: Trigger
- 22. Min hose diam (5 m hose length): 10 mm
- 23. Free Speed: 2200 rpm
- 24. Vibration (m/s^2)<2.5
- 25. Noise & vibrations Vibration (m/s^2)<2.5
- 26. Sound Pressure: 90 d: B(A)
- 27. Sound Power: 101 d: B(A)

AIR TOOLS WA

Perth's Largest Range of Air Compressors and Air Tools.
Industrial Air Compressors, Parts and Service.

Call **1300 062 377** or email sales@airtoolswa.com.au